Whale® Shower Sump System - Simple Grey Waste Management Kit

Plug N Play - Pre-assembled kit

Easy Maintenance - Clear, hinged lid and removable stainless mesh strainer for easy inspection and maintenance

Easy Installation - Multiple inlet port sizes for easy connection to existing plumbing

Reliable Operation - Electric Field Sensor Switch automatically senses water level and switches on and off

Consistent flow - Built-in non-return valve prevents cycling

Electric Field Sensor - Award winning technology

Suitable for 19mm (¾"), 25mm (1"), 28mm (1⅛") and 38mm (1½") hose connections

Multiple inlet and outlet ports ports to suit your current installation

Extra protection - integrated seal

Easy inspection - clear lid

Ease of maintenance - removable stainless mesh strainer

Powerful and compact Orca waste pump

Quick access - snap shut lid

Whale Shower Sump System	
Model No.	GW0500
Open Flow Rate @ 13.6 V d.c.	500 US GPH (32 ltrs/min)
Flow Rate @ 1m Head	255 US GPH (16 ltrs/min)
Voltage D.C.	12V d.c.
Weight	1.25 kg (2.76 lbs)
Inlet Ports	¾" (19mm) / 1" (25mm) / 1 ⅛" (28mm) / 1 ½" (38mm)
Outlet Ports	¾" (19mm) / 1" (25mm)
Materials	**Tank -** ABS, Polycarbonate, **Strainer -** Stainless Steel Mesh. **Orca - Pump body:** ABS**, Seals -** Nitrile® , **Impeller -** Acetal **Electric Field Sensor –** ABS
Warranty	1 year

Whale® Shower Sump System - Simple Grey Waste Management Kit

Plug N Play - Pre-assembled kit

Easy Maintenance - Clear, hinged lid and
removable stainless mesh strainer
for easy inspection and maintenance

Easy Installation - Multiple inlet port sizes
for easy connection to existing plumbing

Reliable Operation - Electric Field Sensor
Switch automatically senses water level
and switches on and off

Consistent flow - Built-in non-return valve
prevents cycling

Product Dimensions

217mm (8²⁄₅")
188mm (7½")
30mm (1⅛")
Ø4.65mm (⅛")
267mm (10½")
346mm (13⅜")

110mm (4⅛")
12mm (½")
130mm (5⅛")

19mm (¾")   19mm (¾")   28mm (1⅛")
25mm (1")   38mm (1½")

**Please see instruction manual
for installation guidance**

Typical Installation

Overboard or to grey waste tank
Sink
Shower
Outside Boat