

# CRUISE Classic & Inox Marine Freezers

---


The Isotherm CRUISE freezer units are the perfect complement to CRUISE refrigerators. The high-quality freezers ensure the perfect and constant temperature to keep frozen food on board.




- Extra thick insulation, for excellent cooling performance and low power consumption
- 12/24 V Danfoss/Secop compressor (AC/DC power kit optional)
- Door with safety lock and magnetic rubber seal
- Excellent solution for a side by side fridge-freezer application



### Cruise Marine Freezers Classic



### Cruise Marine Freezers Inox



### Product Overview: Isotherm CRUISE Marine Freezers

Type	Volume (l)	Dimensions H x W x D (mm)	Weight (kg)	Power consumption (W / 24 hours)	Danfoss/Secop compressor type	Freezer compartment specifications
CR 63 F	63	620 x 477 x 515*	22	440	BD35F	63 (-18°C)
CR 63 F Inox	63	620 x 495 x 555	23	440	BD35F	63 (-18°C)
CR 65 F	65	610 x 527 x 540*	22	440	BD35F	65 (-18°C)
CR 65 F Inox	65	610 x 545 x 580	23	440	BD35F	65 (-18°C)
CR 90 F	90	746 x 527 x 520*	28	550	BD35F	90 (-18°C)
CR 90 F Inox	90	750 x 545 x 555	29	550	BD35F	90 (-18°C)

\* Door thickness (to be added): +40 mm

Power consumption W/24 h in operation on 12 Volt with -18°C in the freezer space, ambient temperature +25°C according to the Standards ISO 15502:2005 and EN 153:2006

Refrigerators manufacturing tolerances -2/+4 mm

Dimensions include refrigerator's feet

With AC/DC optional kit, depth may increase

According to EN 603335 - 1 regulation, the inside walls of the furniture housing the refrigerator must distance from the fridge by 20 mm per side and 50 mm from the top

Please refer to the installation manual for further technical/installation details

Specification changes may be made without prior notice


# CRUISE Classic

CRUISE 63 F, 65 F, 90 F



## CRUISE 63 Freezer

The CR 63 Freezer has the same outside dimensions as CR 85 fridge. Therefore these units can be perfectly mounted side by side. CR 63 F is equipped with two shelves and a bin at the bottom. It has a corner-mounted compressor and the evaporator piping is integrated in the walls.




### Isotherm CRUISE 63 Freezer

Type	CR 63 F
Volume (l)	63



## CRUISE 65 Freezer

The CR 65 Freezer is a 65 liters volume freezer with extra thick insulation. It is equipped with one shelf and a plastic basket at the bottom. The CR 65 F is delivered with a fan-cooled compressor.




### Isotherm CRUISE 65 Freezer

Type	CR 65 F
Volume (l)	65



## CRUISE 90 Freezer

The CR 90 Freezer has the same outside dimensions as the CR130 fridge. Therefore these units can be perfectly mounted side by side. The CR 90 F is equipped with three shelves and four separate lids. It is delivered with a fan-cooled compressor.



### Isotherm CRUISE 90 Freezer

Type	CR 90 F
Volume (l)	90


# CRUISE Inox

CRUISE 63 F, 65 F, 90 F



## CRUISE 63 Freezer INOX

The CR 63 Freezer INOX has the same outside dimensions as CR 85 INOX fridge. Therefore these units can be perfectly mounted side by side. CR 63 F INOX is equipped with two shelves and a bin at the bottom. It has a corner-mounted compressor and the evaporator piping is integrated in the walls.




### Isotherm CRUISE 63 Freezer INOX

Type	CR 63 F INOX
Volume (l)	63



## CRUISE 65 Freezer INOX

The CR 65 Freezer INOX is a 65 liters volume freezer with extra thick insulation. It is equipped with one shelf and a plastic basket at the bottom. The CR 65 F is delivered with a fan-cooled compressor.




### Isotherm CRUISE 65 Freezer INOX

Type	CR 65 F INOX
Volume (l)	65



## CRUISE 90 Freezer INOX

The CR 90 Freezer INOX in stainless steel design has the same outside dimensions as the CR 130 fridge INOX. Therefore these units can be perfectly mounted side by side. The CR 90 F INOX is equipped with three shelves and four separate lids. It is delivered with a fan-cooled compressor.



### Isotherm CRUISE 90 Freezer INOX

Type	CR 90 F INOX
Volume (l)	90